


Received Date:	Permit Number:
Received By:	Address:
 www.estes.org 970-577-3726 PO Box 1200 170 MacGregor Ave Estes Park, CO 80517	FOUNDATION PERIMETER DRAIN INSTALLATION (NOT ENGINEERED) AFFIDAVIT OF COMPLIANCE Town of Estes Park Division of Building Safety

The following conditions must be met before submitting an Affidavit:

- ☐ The contractor shall be pre-approved by the Chief Building Official
- ☐ The work shall be authorized by the appropriate permit
- ☐ The work shall be associated with an approved system
- ☐ The affidavit shall be on a form provided by the CBO

Check the statements that apply:

- ☐ The Division has pre-approved the (Discipline here) Installation to be completed without Division inspection.
- ☐ The installing contractor shall complete and sign this affidavit.
- ☐ The affidavit shall be left in the permit pack at the jobsite.
- ☐ The work and conditions described on the permit I approved plan matches the field installation.
- ☐ The foundation drain has been provided around all concrete or masonry foundations that retain earth and enclose habitable or usable spaces located below grade.
- ☐ Drainage tiles, gravel or crushed stone drains, perforated pipe or other approved systems or materials have been installed at or below the area to be protected and discharge by gravity or mechanical means into an approved drainage system.
- ☐ Gravel or crushed stone drains extend at least 1 foot (305 mm) beyond the outside edge of the footing and 6 inches (152 mm) above the top of the footing and is covered with an approved filter membrane material.
- ☐ The top of open joints of drain tiles are protected with strips of building paper or an approved equivalent.
- ☐ The drain has been placed on a minimum of 2 inches (51 mm) of washed gravel or crushed rock at least one sieve size larger than the tile joint opening or perforation and covered with not less than 6 inches (152 mm) of the same material.
- ☐ (OPTIONAL) Photos of the ongoing installation have been provided.

With my signature I verify the foundation perimeter drain installation was performed in accordance with the manufacturers' installation specifications, Chapter 4 of the 2009 IRC or Chapter 18 of the 2009 IBC and I release the Town of Estes Park from all liability*.

Contractor Signature:	Date:
Company Name:	Town Business License Number:

*A Contractors' Affidavit of Compliance shall not exempt work from corrections if the building official determines the work does not comply with the provisions of this code.